



HYDROGEOLOGIC DATABASE Chemical Analysis

Sample Results Color Code Legend

Sample Exceeds None Secondary MCL
Primary



[Click HERE to View Information for Well BR3](#)

Owner Name: **Windsun Way Water Association**

Well Key: **BR3**

Site Type: **Well**

TRS: **32N/02E-25N**

PWS Name: **North Wind-Sun Way Water Group**

DOH PwsID: 02758

DOH Source #: **3**

Source	Date	Bicarbonate			Conductivity			Hardness			Na	NO3	SO4	Turbidity	
		Alk	As	Ca	Cl	Fe	K	Mg	Mn						TDS
DOH	8/25/2008											0.45			
DOH	8/8/2011											0.53			
DOH	12/26/2019											1			

Select Summary Statistics

Avg As:	Avg Cl:	Avg Hardness:	Avg NO3:	0.66
Median As:	Median Cl:	Median Hardness:	Median NO3:	0.53
Max As:	Max Cl:	Max Hardness:	Max NO3:	1

Bacteria Samples (distribution): [42 sample\(s\)](#)

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

3 records printed on 1/21/2020

Note: Items with blue frames and blue text are clickable hyperlinks to additional information / resources.

Parameter labels with a red fill color are exhibiting an increasing trend, and those with a green fill color are exhibiting a decreasing trend.